

Analytik-Programm GW-Monitoring Forst 2026

GWM		RW (ETRS89)	HW (ETRS89)	Lamelles	Dichlor-methan	trans-1,2-Dichlor-ethen	cis-1,2-Dichlor-ethen	Trichlor-methan	1,1,1-Trichlor-ethan	Tetrachlor-methan	1,2-Dichlor-ethan	Trichlor-ethen	Tetrachlor-ethen	1,1-Dichlor-ethan	VC	Summe LCKW	Am-monium	Nitrat	Nitrit	Eisen (gesamt)	Mangan (gesamt)	Nitrit	Sulfat	Sulfid	Methan	MKW	BTEX	PAK (EPA)	Phenol-Index	CSB
Br. Stadtwerke		3475718,00	5734547,00	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Brunnen Spinnerei Forst West		3475965,26	5733611,12	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1000	GWM 3-2000-3	3475517,53	5732835,51	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1001	GWM 4-2000-1	3475482,44	5732830,40	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1002	GWM 4-2000-2	3475483,30	5732832,52	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1003	GWM 4-2000-3	3475484,41	5732835,25	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1004	GWM 5-2000	3475542,33	5732757,56	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1005	GWM 6-2001-1	3475491,74	5732741,25	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1006	GWM 6-2001-2	3475494,22	5732738,64	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1007	GWM 6-2001-3	3475496,51	5732736,53	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1008	GWM 7-2001	3475523,43	5732688,79	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1009	GWM 8-2001	3475533,65	5732898,15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1041	GWM 21-2004-2	3475336,47	5733720,41	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1042	GWM 21-2004-3	3475333,98	5733720,83	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1043	GWM 21-2004-4	3475332,04	5733721,14	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1048	GWM 23-2004-1	3475749,44	5734208,76	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1049	GWM 23-2004-2	3475751,78	5734208,28	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1050	GWM 23-2004-3	3475754,13	5734207,84	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1051	GWM 23-2004-4	3475757,72	5734207,27	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1052	GWM 25-2004-1	3475309,94	5734313,07	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1053	GWM 25-2004-2	3475310,48	5734315,35	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1054	GWM 25-2004-3	3475311,00	5734317,59	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1055	GWM 25-2004-4	3475311,52	5734319,85	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1056	GWM 16-2004	3475506,04	5733248,43	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1057	GWM 18-2004	3475506,51	5733246,41	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1061	GWM 24-2004-2	3475484,92	5734273,89	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1062	GWM 24-2004-3	3475487,25	5734273,58	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1063	GWM 24-2004-4	3475489,63	5734273,22	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1065	GWM 14-2004-1	3475507,63	5733682,62	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1066	GWM 14-2004-2	3475505,29	5733682,98	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1067	GWM 14-2004-3	3475502,87	5733683,29	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1068	GWM 14-2004-4	3475500,36	5733683,71	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1069	GWM 13-2004-1	3475601,93	5733658,15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1070	GWM 13-2004-2	3475599,78	5733658,79	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1071	GWM 13-2004-3	3475597,71	5733659,41	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1072	GWM 13-2004-4	3475595,62	5733660,04	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1073	GWM 9-2004-1	3475707,81	5733143,41	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1074	GWM 9-2004-2	3475709,16	5733141,12	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1075	GWM 9-2004-3	3475710,34	5733138,93	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1076	GWM 9-2004-4	3475711,42	5733136,83	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1077	GWM 3-2004-5	3475515,16	5732833,85	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1078	GWM 10-2004-1	3475580,94	5733142,18	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1079	GWM 10-2004-2	3475581,83	5733144,59	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1080	GWM 10-2004-3	3475584,50	5733141,40	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1081	GWM 10-2004-4	3475585,53	5733143,09	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1086	GWM 15-2003	3475514,55	5732760,74	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1087	GWM 15W-2003	3475514,55	5732760,74	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1088	GWM 17-2003	3475508,73	5732762,08	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1093	GWM 11-2004-1	3475477,64	5733143,55	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1094	GWM 11-2004-2	3475475,00	5733135,19	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1095	GWM 11-2004-3	3475472,22	5733135,74	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1096	GWM 11-2004-4	3475469,67	5733136,31	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1230		3476143	5733752	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1231		3476215	5733840	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SPN 1232		3476358	5733762	1	1	1	1	1	1	1																				

Analytik-Programm GW-Monitoring Forst 2026

[illegible]