

Beprobungsreihenfolge GW-Monitoring 2026

Beprobungs- reihenfolge	GWM	RW	HW		LHKW [µg/l]	Bemerkungen
1	SPN 1717	3476016,18	5735079,98		n.n.	
2	SPN 1718	3476017,26	5735081,06		n.n.	
3	Brunnen Spinnerei Forst West	3475965,26	5733611,12		n.n.	Hahnprobe, bitte im Vorfeld anmelden bei Herrn Gottschalk, Tel.: 01512/0124535
4	SPN 1785				n.n.	
5	SPN 1786				n.n.	
6	SPN 1787				n.n.	
7	SPN 1788				n.n.	
8	SPN 1006	3475494,22	5732738,64	GWM 6-2001-2	n.n.	
9	SPN 1007	3475496,51	5732736,53	GWM 6-2001-3	n.n.	
10	SPN 1041	3475336,47	5733720,41	GWM 21-2004-2	n.n.	
11	SPN 1042	3475333,98	5733720,83	GWM 21-2004-3	n.n.	
12	SPN 1043	3475332,04	5733721,14	GWM 21-2004-4	n.n.	
13	SPN 997	3475554,97	5732797,72	GWM 2-2000-3	n.n.	
14	SPN 808	3475897,57	5736211,51	Pegel 6192	n.n.	
15	SPN 1243	3475333,98	5733720,83	GWM 27-2008-3	n.n.	
16	SPN 1244	3475332,04	5733721,14	GWM 27-2008-4	n.n.	
17	SPN 1821	3476418	5733909		n.n.	Ergebnisse 2025
18	SPN 1822	3476417	5733908		n.n.	Ergebnisse 2025
19	SPN 1002	3475483,30	5732832,52	GWM 4-2000-2	0,5	
20	SPN 1075	3475710,34	5733138,93	GWM 9-2004-3	0,5	
21	SPN 1053	3475310,48	5734315,35	GWM 25-2004-2	0,6	
22	SPN 1096	3475469,67	5733136,31	GWM 11-2004-4	0,7	
23	SPN 1719	3476018,34	5735082,15		0,8	
24	SPN 1720	3476019,38	5735083,22		0,8	
25	SPN 1008	3475523,43	5732688,79	GWM 7-2001	0,8	
26	SPN 1052	3475309,94	5734313,07	GWM 25-2004-1	0,8	
27	SPN 1232	3476358,00	5733762,00		0,8	
28	SPN 1003	3475484,41	5732835,25	GWM 4-2000-3	1	
29	SPN 1233	3476312,00	5733617,00		1	
30	SPN 1054	3475311,00	5734317,59	GWM 25-2004-3	1	
31	SPN 996	3475554,29	5732795,37	GWM 2-2000-2	1,8	
32	SPN 1055	3475311,52	5734319,85	GWM 25-2004-4	2	
33	SPN 1247	3475171,36	5733730,40	GWM 28-2008-3	2	
34	SPN 1248	3475749,44	5734208,76	GWM 28-2008-4	2	
35	SPN 1749	3475982,76	5735121,16		2	
36	SPN 1775	3475927,91	5734208,59		2,4	Ergebnisse 2025
37	SPN 1076	3475711,42	5733136,83	GWM 9-2004-4	3	
38	SPN 1093	3475477,64	5733134,55	GWM 11-2004-1	3,5	
39	SPN 1241	3475336,47	5733720,41	GWM 27-2008-1	3,6	
40	SPN 367	3476267,18	5733389,99		3,8	Ergebnisse 2025
41	SPN 1057	3475506,51	5733246,41	GWM 18-2004	4	
42	SPN 1711	3476057,93	5734357,35		4,6	
43	SPN 1748	2475981,66	5735122,09		5	
44	SPN 1712	3476060,14	5734359,74		5,6	
45	SPN 750	3475489,10	5732783,48	GWM2/96	6	
46	SPN 1753	3475308,19	5736165,45		6	
47	SPN 1074	3475709,16	5733141,12	GWM 9-2004-2	6,5	
48	SPN 1005	3475491,74	5732741,25	GWM 6-2001-1	7	
49	SPN 1750	3475312,45	5736164,67		7	
50	SPN 1710	3476056,31	5734355,61		7,5	
51	SPN 1751	3475310,97	5736164,95		8	
52	SPN 1774	3475929,27	5734208,29		8,8	Ergebnisse 2025
53	SPN 994	3475523,45	5732758,88	GWM 1-2000-3	9,9	
54	SPN 1246	3475643,97	5732908,71	GWM 28-2008-2	10	
55	SPN 1252	3475531,96	5732898,75	GWM 29-2008-4	10	
56	SPN 1769	3475871,80	5733838,59		11,6	Ergebnisse 2025
57	SPN 1073	3475707,81	5733143,41	GWM 9-2004-1	12	
58	SPN 1709	3476055,15	5734354,37		13	
59	SPN 1000	3475643,97	5732908,71	GWM 3-2000-3	13	
60	SPN 1768	3475427,43	5733327,36		13	Ergebnisse 2025
61	SPN 1048	3475749,44	5734208,76	GWM 23-2004-1	14	
62	SPN 1242	3475333,98	5733720,83	GWM 27-2008-2	14	
63	SPN 1817	3476140	5733754		14	Ergebnisse 2025
64	SPN 1773	3475930,70	5734207,96		14,7	Ergebnisse 2025
65	SPN 993	3475520,05	5732759,62	GWM 1-2000-2	15	
66	SPN 1065	3475507,63	5733682,62	GWM 14-2004-1	19	in 2020/2021 trocken
67	SPN 1818	3476143	5733754		20,6	Ergebnisse 2025
68	SPN 1820	3476295	5733925		22	Ergebnisse 2025
69	SPN 1230	3476143,00	5733752,00		23	
70	SPN 1069	3475601,93	5733658,15	GWM 13-2004-1	28	
71	SPN 999	3475517,43	5732831,25	GWM 3-2000-2	29	
72	SPN 1068	3475500,36	5733683,71	GWM 14-2004-4	30	
73	SPN 1767	3475428,93	5733327,23		33,1	Ergebnisse 2025
74	SPN 1781	3475926,46	5734208,98		38	Ergebnisse 2025
75	SPN 1819	3476217	5733842		48,9	Ergebnisse 2025
76	SPN 1251	3475531,74	5732897,57	GWM 29-2008-3	53	
77	SPN 1752	3475309,58	5736165,24		54	
78	SPN 1063	3475489,63	5734273,22	GWM 24-2004-4	56	
79	SPN 1081	3475585,53	5733143,09	GWM 10-2004-4	62	
80	SPN 1231	3476215,00	5733840,00		64	
81	SPN 1067	3475502,87	5733683,29	GWM 14-2004-3	65	
82	SPN 1001	3475643,97	5732908,71	GWM 4-2000-1	69	in 2020/2021 trocken
83	SPN 1766	3475430,00	5733327,00		75,3	Ergebnisse 2025

Beprobungs- reihenfolge	GWM	RW	HW		LHKW [µg/l]	Bemerkungen
84	SPN 1062	3475487,25	5734273,58	GWM 24-2004-3	86	
85	SPN 1094	3475475,00	5733135,19	GWM 11-2004-2	106	
86	SPN 1772	3475874,67	5733842,16		109,5	Ergebnisse 2025
87	SPN 1245	3475643,79	5732907,12	GWM 28-2008-1	113	
88	SPN 1716	3475886,07	5734533,18		127	
89	SPN 1066	3475505,29	5733682,98	GWM 14-2004-2	132	
90	SPN 1816	3476230	5733469		180	Ergebnisse 2025
91	SPN 1051	3475757,72	5734207,27	GWM 23-2004-4	191	
92	SPN 1095	3475472,22	5733135,74	GWM 11-2004-3	235	
93	SPN 1077	3475515,16	5732833,85	GWM 3-2004-5	286	
94	SPN 1078	3475580,94	5733142,18	GWM 10-2004-1	295	
95	SPN 1056	3475506,04	5733248,43	GWM 16-2004	324	
96	SPN 1049	3475751,78	5734208,28	GWM 23-2004-2	326	
97	SPN 1253	3475513,40	5732908,17	GWM 31-2008	334	
98	SPN 1072	3475595,62	5733660,04	GWM 13-2004-4	344	
99	SPN 1747	3475666,92	5735175,17		376	
100	SPN 809	3475670,17	5735175,43	Pegel 6197	396	
101	SPN 1770	3475872,70	5733839,84		396,3	Ergebnisse 2025
102	SPN 1713	3475888,26	5734529,09		487	
103	SPN 1088	3475508,73	5732762,08	GWM 17-2003	524	
104	SPN 1771	3475873,69	5733841,10		528,4	Ergebnisse 2025
105	SPN 1715	3475886,84	5734531,81		530	
106	SPN 1080	3475584,50	5733141,40	GWM 10-2004-3	600	
107	SPN 1070	3475599,78	5733658,79	GWM 13-2004-2	635	
108	Brunnen Stadtwerke Forst	3475965,26	5733611,12		699	Hahnprobe
109	SPN 998	3475517,27	5732825,25	GWM 3-2000-1	949	
110	SPN 1714	3475887,54	5734530,41		975	
111	SPN 1061	3475484,92	5734273,89	GWM 24-2004-2	1016	
112	SPN 1071	3475597,71	5733659,41	GWM 13-2004-3	1111	
113	SPN 1050	3475754,13	5734207,84	GWM 23-2004-3	1117	
114	SPN 1250	3475531,53	5732896,36	GWM 29-2008-2	1292	
115	SPN 1079	3475581,83	5733144,59	GWM 10-2004-2	1574	
116	SPN 1249	3475530,84	5732892,16	GWM 29-2008-1	1892	
117	SPN 995	3475551,19	5732785,10	GWM 2-2000-1	1924	
118	SPN 1004	3475542,33	5732757,56	GWM 5-2000	1999	
119	SPN 749	3475515,90	5732774,96	GWM1/96	2049	
120	SPN 1254	3475523,08	5732899,87	GWM 32-2008	3322	
121	SPN 1255	3475537,41	5732906,66	GWM 33-2008	3823	
122	SPN 1009	3475533,65	5732898,15	GWM 8-2001	4550	
123	SPN 1086	3475514,55	5732760,74	GWM 15-2003	5168	
124	SPN 1087	3475514,55	5732760,74	GWM 15W-2003	5530	
125	SPN 992	3475517,59	5732760,23	GWM 1-2000-1	7937	